

## Choice of Hydrotherapy Pools

	Derwent (Ramp & Resting Places Included)	Extended Derwent Length OR Width	Bespoke Eden Pools	Home Use Pool Standard		Home Use Pool Extra Large	
<b>Construction</b>	Fibreglass (10mm)	Fibreglass (10mm)	50mm Polypropylene Thermal Panels	50mm Polypropylene Thermal Panels		50mm Polypropylene Thermal Panels	
<b>Colour</b>	White or Blue (Some Colours Subject to Surcharge)	White or Blue (Some Colours Subject to Surcharge)	White	White		White	
<b>Depth</b>	1220 mm (4 ft)	1220mm (4 ft)	TBA	1000 mm	1200 mm	1000mm	1200mm
<b>Width</b>	2440 mm (8ft)	3440 mm x 4520 mm	TBA	1540 mm		1900 mm	
<b>Length</b> (Overall)	4520 mm (14 ft 7 ins)	2440 mm x 6000mm	TBA	2600 mm		3100 mm	
<b>Swim Space</b>	3620 mm x 2090 mm (11 ft 10 ins x 6 ft 10 ins) (7.57 m <sup>2</sup> )	3090 mm x 3620 mm or 2090 mm x 5100 mm	TBA	1270 mm x 1900 mm		1600 mm x 2400 mm	
<b>Internal Ramp</b> (Resting Platform Included)	Yes (exit left only)		Yes	Optional		Optional	
<b>External Ramp</b>	No	No	No	No		No	
<b>Swim Jets</b> (Air Switches Included)	Yes	Yes	As required	One		One	
<b>Welded Steel Framework</b>	Yes	Yes	Yes	No		No	
<b>Exterior Trim Panel</b> (White)	Optional	Optional	Yes	Yes		Yes	
<b>Exterior Trim Panel</b> (Coloured)	Optional	Optional	Yes	Yes		Yes	
<b>Empty Weight</b>	660 Kg	850kg / 900kg	TBA	250 Kg	266 Kg	300 Kg	324 Kg
<b>Water Capacity</b> (Volume)	9000 ltr	11,200 / 12,980 ltr	TBA	2099 ltr	2800ltr	3260 ltr	4,224 ltr
<b>Digital Control System</b>	Yes	Yes	Yes	No		No	
<b>Built-In Plant</b>	Yes	Yes	No	Yes		Yes	
<b>Filter</b>	Yes	Yes	Yes	Sand		Sand	
<b>Circulation Pump</b>	Yes	Yes	Yes	Yes		Yes	
<b>Electric Heater</b>	3 KW		Yes	2 KW		2 KW	
<b>UV Blue Lagoon</b>	Optional	Optional	Optional	No		No	
<b>Jet Pump</b>	Yes		As required	Optional		Optional	
<b>Underwater Light</b>	Optional	Optional	Optional	Optional		Optional	
<b>Blue Connect with Wi-Fi</b>	Optional	Optional	Optional	No		No	
<b>Thermal Heat Retaining Cover</b>	Yes		Optional	Optional		Optional	
<b>Electrical Requirements</b>	Dedicated 20 Amp Rotary Isolator		Dedicated 20 Amp Rotary Isolator	13 Amp		13 Amp	
<b>Requires Hard Plumbing</b>	No	No	No	No		No	
<b>Maintenance Kit</b>	Yes	Yes	Yes	Optional		Optional	
<b>Chemical Starter Bucket</b>	Yes	Yes	Yes	Optional		Optional	

## The Lakes Packages

	Coniston	Ullswater	Windermere
<b>Construction</b>	<b>Fibreglass</b> (10mm)	<b>Fibreglass</b> (10mm)	<b>Fibreglass</b> (10mm)
<b>Colour</b>	White or Blue (Others Optional – Subject to Surcharge)	White or Blue (Others Optional – Subject to Surcharge)	White or Blue (Others Optional – Subject to Surcharge)
<b>Depth</b>	1350 mm (4 ft 5 ins)	1500 mm (4 ft 11 ins)	1500 mm (4 ft 11 ins)
<b>Width</b>	2800 mm (9 ft 2 ins)	3150 mm (10 ft 4 ins)	3750 mm (12 ft 4 ins)
<b>Length</b> (Overall)	5000 mm (16 ft 5 ins)	7500 mm (24 ft 7 ins)	8000 mm (26 ft 3 ins)
<b>Swim Space</b>	2429 mm x 4629 mm (7 ft 11 ins x 15 ft 2 ins) (11.25 m <sup>2</sup> )	2787 mm x 7250 mm (9 ft 1 ins x 23 ft 9 ins) (16.58 m <sup>2</sup> )	3238 mm x 7720 mm (10 ft 7 ins x 25 ft 4 ins) (24.99 m <sup>2</sup> )
<b>Internal Ramp</b> (Resting Platform Included)	Yes	Yes	Yes
<b>External Ramp</b>	No	No	No
<b>Swim Jets</b> (Air Switches Included)	Optional	Optional	Optional
<b>Welded Steel Framework</b>	Above -Yes/Below - No	Above -Yes/Below - No	Above -Yes/Below - No
<b>Exterior Trim Panel</b> (50% above ground)	Optional	Optional	Optional
<b>Exterior Trim Panel</b> (100% above ground)	Optional	Optional	Optional
<b>Empty Weight</b>	Below - 375 Kg Above - ??? Kg	Below - 600 Kg Above - ??? Kg	Below - 850 Kg Above - ??? Kg
<b>Water Capacity</b> (Volume)	17,000 ltr	30,300 ltr	37,500 ltr
<b>Digital Control System</b>	Optional	Optional	Optional
<b>Built-In Plant</b>	No	No	No
<b>Filter</b>	Yes	Yes	Yes
<b>Circulation Pump</b>	Yes	Yes	Yes
<b>Air Source Heat Pump</b>	Yes	Yes	Yes
<b>UV Blue Lagoon</b>	Optional	Optional	Optional
<b>Jet Pump</b>	Optional	Optional	Optional
<b>Underwater LED Light</b>	Yes	Yes	Yes
<b>Blue Connect with Wi-Fi</b>	Optional	Optional	Optional
<b>Thermal Heat Retaining Cover</b>	Yes	Yes	Yes
<b>Electrical Requirements</b>	Dedicated 20 Amp Rotary Isolator	Dedicated 20 Amp Rotary Isolator	Dedicated 20 Amp Rotary Isolator
<b>Requires Hard Plumbing</b>	No	No	No
<b>Maintenance Kit</b>	Yes	Yes	Yes
<b>Chemical Starter Bucket</b>	Yes	Yes	Yes

These pools come as 2 options; including basic plant and light or a shell and ramp only.


1. Pool, ramp, Plant, ASHP and underwater LED light
2. As above plus heat retaining thermal cover, Maintenance Kit and Chemical Bucket.

## Hydrotherapy Pool Example Photos:

Derwent and The Lakes Pools



Bespoke Eden Pool



Plant Room Example



Built-In Plant Example



### Hydrotherapy Pool Maintenance Kit Contents:

\* Included with the Derwent and Lakes Pool

A Vacuum Head	A Vacuum Pole	A Vacuum Hose	A Surface Net
A Brush Head	A Cleaning Pad	A Floating Thermometer	A Floating Chlorinator

### Hydrotherapy Pool Chemical Bucket Contents:

\* Included with the Derwent and Lakes Pools

Aqua Vet – Mini Chlorine Tablets	Aqua Vet – pH Increaser	Aqua Vet – pH Reducer	Aqua Vet – Rapid Clarifier
Aqua Vet – Granular Shock Chlorine	COSHH Sheets	Floating Chlorinator	InstaTest 5 Strips
Aqua Vet Spa Sparkle	A Pool Eraser	A Pre-Filter Net	A Scumflower

- Plant can be built into the space saving pool housing or put into a separate plant room
- Air Jet switches ensure no operator contact with electrical components
- An UV Blue Lagoon is available to enhance water quality by helping the chlorine to sanitise the water more effectively. The UV Blue Lagoon has consumable parts that need regular replacing.

## Polythermal Hot Spa

<b>Construction Material</b>	50 mm Insulated Panels
<b>Colour</b>	White
<b>Height</b> (Overall)	920 mm
<b>Water Depth</b>	800 mm
<b>Width</b> (Overall)	660 mm
<b>Length</b>	1260 mm
<b>Weight</b> (Empty)	25 Kg
<b>Capacity</b>	900 ltr
<b>Lid</b>	No
<b>Thermal Bound Heat Retaining Cover</b>	Yes
<b>Wheels</b>	No
<b>Adjustable Floor</b>	Yes
<b>Air Loop</b>	Yes

### Hot Spa Maintenance Kit Contents: (Included with every Hot Spa)

Aqua Vet – Mini Chlorine Tablets	Aqua Vet – pH Increaser	Aqua Vet – pH Reducer	Aqua Vet – Rapid Clarifier
Aqua Vet – Granular Shock Chlorine	COSHH Sheets	Floating Chlorinator	InstaTest 5 Strips
Aqua Vet Spa Sparkle	A Pool Eraser	A Pre-Filter Net	A Scumflower

### Hot Spa Plant Pack Dimensions

<b>Length</b>	800 mm
<b>Width</b>	350 mm
<b>Height</b>	700 mm
<b>Weight</b> (Approximately When Filled)	70 Kg
<b>Filter</b>	Yes
<b>Circulation Pump</b>	Yes
<b>Blower</b>	Yes
<b>Heater</b>	Yes
<b>Control System</b>	Air Switch
<b>RCD</b> (For Safety)	Yes
<b>Electrical Requirements</b>	20 Amp

